


KG5067

KG-3080NFAKGS2T

Capacitive sensors



- 1: LED ring
2: Programming buttons



Product characteristics

Capacitive sensor
Plastic thread M18 x 1
Cable
Teach function
Electronic lock
Automatic load detection PNP/NPN
Sensing range 8 mm; [nf] non-flush mountable

Electrical data

Electrical design	DC PNP/NPN
Operating voltage [V]	10...36 DC
Current consumption [mA]	< 20
Protection class	II
Reverse polarity protection	yes

Outputs

Output function	normally open / closed programmable
Voltage drop [V]	< 2.5
Current rating [mA]	200
Short-circuit protection	pulsed
Overload protection	yes
Switching frequency [Hz]	10

Range

Sensing range [mm]	8
--------------------	---

Accuracy / deviations

Hysteresis [% of Sr]	1...15
Switch-point drift [% of Sr]	-20...20

Interfaces

IO-Link device

Transfer type	COM1 (4.8 kBaud)
IO-Link revision	1.1
SDCI standard	IEC 61131-9 CDV

IO-Link device ID	387d / 000183h
Profiles	Smart Sensor
SIO mode	yes
Min. process cycle time [ms]	101

Environment

Ambient temperature [°C]	-25...80
Protection	IP 65 / IP 67

Tests / approvals

EMC	EN 61000-4-2 ESD:	8 kV AD
	EN 61000-4-3 HF radiated:	10 V/m
	EN 61000-4-4 Burst:	2 kV
	EN 61000-4-6 HF conducted:	3 V
	EN 55011:	class B
Vibration resistance	EN 60068-2-6 Fc	(10...55 Hz) / 1 mm amplitude, oscillation period 5 min., 30 min. per axis at resonance or 55 Hz
Shock resistance	EN 60068-2-27 Ea	30 g 6 shocks / 11 ms half-sine (x,y,z)
MTTF [Years]		560

Mechanical data


Mounting	non-flush mountable
Housing materials	housing: PP white; sealing: TPE-U; buttons: TPE-U
Weight [kg]	0.138

Displays / operating elements

Output status indication LED	yellow
------------------------------	--------

Electrical connection

Connection	PVC cable / 2 m; 3 x 0.34 mm ² ; Ø 4.9 mm
------------	--

Wiring

BK: OUT / IO-Link
Automatic load detection PNP/NPN
when using a resistive load < 20 kΩ

Accessories

Accessories (included)	2 lock nuts
------------------------	-------------

Remarks

Pack quantity [piece]	1
-----------------------	---

ifm electronic gmbh • Friedrichstraße 1 • 45128 Essen — We reserve the right to make technical alterations without prior notice. — GB — KG5067 — 04.11.2014